|   | I Amelia di Alia   |   |
|---|--|---|
|   | Application No.  | Applicant(s)  |
|   | 10/050,604   | OGASAWARA, MASAKAZU   |
| Notice of Allowability  | Examiner   | Art Unit  |
|   | Lixi Chow  | 2627  |
| The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313                       | ears on the cover sheet with the of<br>(OR REMAINS) CLOSED in this ap<br>or other appropriate communication<br>IGHTS. This application is subject to | correspondence address oplication. If not included n will be mailed in due course. THIS |
| 1. This communication is responsive to <u>7/3/06</u> .  |  |   |
| 2. The allowed claim(s) is/are 1,3-6,8 and 9.   |  |   |
| <ul> <li>3.  Acknowledgment is made of a claim for foreign priority unanal All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> <li>2.  Certified copies of the priority documents have</li> <li>3.  Copies of the certified copies of the priority do</li> </ul> | e been received.<br>e been received in Application No  |   |
| International Bureau (PCT Rule 17.2(a)).  |  |   |
| * Certified copies not received:  |  |   |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  |  |   |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  |  |   |
| 5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.   |  |   |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  |  |   |
| 1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date  |  |   |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  |  |   |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).   |  |   |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.   |  |   |
|   |  |   |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892)   | 5.  Notice of Informal F   | Patent Application  |
| 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  | 6. Interview Summary   | (PTO-413),  |
| 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date   | Paper No./Mail Da<br>7.  | ment/Comment  |
| Examiner's Comment Regarding Requirement for Deposit of Biological Material   |  | ent of Reasons for Allowance  |
|   | 9.  Other  |   |
|   |  |   |

Application/Control Number: 10/050,604 Page 2

Art Unit: 2627

## Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/3/06 has been entered.

## Allowable Subject Matter

2. Claims 1, 3-6 and 8-9 are allowed.

In regards to claim 1, although the closest art of record, i.e., Kikuchi (US 6,885,6161), discloses an aberration correction apparatus comprising: a first aberration correction element movable along the optical axis of said light beam, and a second aberration correction element having a plurality of phase adjustment portion; however, neither Kikuchi nor any reference of record disclose or suggest an aberration correction apparatus comprising: a first aberration correction element movable along the optical axis of said light beam for performing coarse correction of the aberration of the light beam; and a second aberration correction element having a plurality of phase adjustment portions each generating an amount of phase change in the light beam to perform fine correction for a residual aberration of said first aberration correction element.

Claims 3-6 and 8-9 depend from claim 1; hence, they are also allowed.

## Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lixi Chow whose telephone number is 571-272-7571. The examiner can normally be reached on Mon-Fri, 8:30am to 6:00pm.

Application/Control Number: 10/050,604

Art Unit: 2627

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, A. L. Wellington can be reached on 571-272-4483. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

LC 9/11/06

SUPERVISORY PATENT EXAMINER

Page 3